



Die Lösung macht den Unterschied.

Product G1305 | Checker Mat black

Product-Number
G1305

Product-Designation
Checker Mat black

Manufacturer
WiCo Wichmann, Otto & Cie GmbH + Co. KG

Product
Layout: without inlay
Color: black
Top Surface: checker design
Bottom Surface: fabric pattern

Description
Medium-hard NR/SBR quality with profiled surface, useable as flooring for stairs, cable bridge, sheets for drawers, sale displays, etc.



Technical Specification

Material
NR/SBR

Hardness acc. to DIN ISO 7619-1
65 ± 5 °Shore A


Density acc. to DIN EN ISO 1183-1
1,45 g/cm³

Tensile Strength acc. to ISO 37
3,5 MPa

Elongation at Break acc. to ISO 37
300 %

Operation Temperature Range
-30/+60°C

Stabilities



Available Dimensions

thickness in mm	3,5
length in m	up to 10
width in mm	up to 1200

Notes:

May 2021

Our advice is given to the best of our knowledge, but only as a non-binding reference and does not exempt our own examination of the products supplied by us for their suitability for the intended procedures and purposes. The specified technical data are guide values, i.e., experience values from longer production periods. The processing of our products is beyond our control and is therefore exclusively within your area of responsibility. Of course, we guarantee the perfect quality of our products according to our general sales and delivery conditions. Due to raw material and production, as well as by external influences (temperature, humidity, etc.), the stated values can fluctuate by up to ± 25%.

Product Group G13 | Floorings - Rubber Mats

G1300 Fine Ribbed Mat black



G1301 Fine Ribbed Mat grey



G1302 Rectangular Ribbed Mat black



G1303 Wide Ribbed Mat black



G1304 Round Button Mat black



G1305 Checker Mat black



G1306 Diamond Pattern Mat Black



G1318 Pyramidal Pattern Mat black



Notes:

May 2021

Our advice is given to the best of our knowledge, but only as a non-binding reference and does not exempt our own examination of the products supplied by us for their suitability for the intended procedures and purposes. The specified technical data are guide values, i.e., experience values from longer production periods. The processing of our products is beyond our control and is therefore exclusively within your area of responsibility. Of course, we guarantee the perfect quality of our products according to our general sales and delivery conditions. Due to raw material and production, as well as by external influences (temperature, humidity, etc.), the stated values can fluctuate by up to $\pm 25\%$.